AD-A232 996

CLASSIFIED
Y CLASSIFICATION OF THIS PAGE

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

PORT SECURITY CLASSIFICATION NCLASSIFIED		1b. RESTRICTIVE MARKINGS			
CURITY CLASSIFICATION AUTHORITY		3. DISTRIBUTION/AVAILABILITY OF REPORT Approved for public release; distribution unlimited.			
CLASSIFICATION/DOWNGRADING SCHEDULE					
RFORMING ORGANIZATION REPORT NUMBER(S)		5. MONITORING ORGANIZATION REPORT NUMBER(S) AFOSR-TR· 9 ⎯ ⎯ ⎯ ⎯			
IAME OF PERFORMING ORGANIZATION University of Texas at Austin	6b. OFFICE SYMBOL (If applicable)	7a. NAME OF MONITORING ORGANIZATION AFOSR/NM			
6c. ADDRESS (City, State, and ZIP Code) Dept. of Electrical and Computer Engineering Austin, Texas 78712-1084		7b. ADDRESS (City, State, and ZIP Code) Bldg. 410 Bolling AFB, DC 20332-6448			
8a. NAME OF FUNDING/SPONSORING ORGANIZATION AFOSR	8b. OFFICE SYMBOL (If applicable) NM	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER AFOSR-86-0029			
8c. ADDRESS (City, State, and ZIP Code) Bldg. 410 Bolling AFB, DC 20332-6448		10. SOURCE OF FUNDING NUMBERS			
		PROGRAM ELEMENT NO. 61102F	PROJECT NO. 2304	TASK NO. A1	WORK UNIT ACCESSION NO.

11. TITLE (Include Security Classification)

Adaptive Control of Nonlinear and Stochastic Systems--Final Report (Unclassified)

12. PERSONAL AUTHOR(S)
Marcus, S.I. and Arapostathis, A.

13a. TYPE OF REPORT Final	13b. TIME COVERED FROM _____ TO _____	14. DATE OF REPORT (Year, Month, Day) 1991 January 14	15. PAGE COUNT 17

16. SUPPLEMENTARY NOTATION

17.	COSATI CODES		18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)
FIELD	GROUP	SUB-GROUP	

19. ABSTRACT (Continue · Significant progress was made in a number of aspects of nonlinear and stochastic systems. An important problem in the adaptive estimation of a finite state Markov chain was solved, and significant progress was made on the corresponding, but much more difficult adaptive control problem. Problems of adaptive control with unknown disturbance distributions were solved in the case of incomplete state observations. A study of the adaptive control of bilinear ARMAX models was completed. Discretization procedures for adaptive Markov control processes were designed and analyzed, and problems of adaptive control with unknown disturbance distributions were solved in the case of incomplete state observations. In the area of nonlinear systems, the effect of sampling on linearization for continuous time systems was investigated. The smooth feedback stabilization of nonlinear systems was studied, and a model reference adaptive control scheme for pure-feedback nonlinear systems was developed and studied, and some problems in the linearization of discrete-time nonlinear systems were solved. In addition, some important problems in the areas of discrete event systems, robotics, and discrete time systems were solved.

20. DISTRIBUTION/AVAILABILITY OF ABSTRACT			21. ABSTRACT SECURITY CLASSIFICATION
☑ UNCLASSIFIED/UNLIMITED	☒ SAME AS RPT	☐ DTIC USERS	UNCLASSIFIED
22a. NAME OF RESPONSIBLE INDIVIDUAL Dr. Marc Jacobs		22b. TELEPHONE (Include Area Code) (202) 767-5027	22c. OFFICE SYMBOL NM

DD Form 1473, JUN 86   Previous editions are obsolete.   SECURITY CLASSIFICATION OF THIS PAGE
UNCLASSIFIED

91 3 11 138

FINAL REPORT

GRANT AFOSR–86–0029

NOVEMBER 15, 1985—NOVEMBER 14, 1990

"ADAPTIVE CONTROL OF NONLINEAR AND STOCHASTIC SYSTEMS"

STEVEN I. MARCUS AND ARISTOTLE ARAPOSTATHIS

Department of Electrical and Computer Engineering

The University of Texas at Austin

Austin, Texas 78712-1084

January 14, 1991

Significant progress was made in a number of aspects of nonlinear and stochastic systems. An important problem in the adaptive estimation of a finite state Markov chain was solved, and significant progress was made on the corresponding, but much more difficult adaptive control problem. Problems of adaptive control with unknown disturbance distributions were solved in the case of incomplete state observations. A study of the adaptive control of bilinear ARMAX models was completed. Discretization procedures for adaptive Markov control processes were designed and analyzed, and problems of adaptive control with unknown disturbance distributions were solved in the case of incomplete state observations. In the area of nonlinear systems, the effect of sampling on linearization for continuous time systems was investigated. The smooth feedback stabilization of nonlinear systems was studied, and a model reference adaptive control scheme for pure-feedback nonlinear systems was developed and studied, and some problems in the linearization of discrete-time nonlinear systems were solved. In addition, some important problems in the areas of discrete event systems, robotics, and discrete time systems were solved.

1

1. SUMMARY OF RESEARCH PROGRESS AND RESULTS

During the five years supported by this grant, we have made significant progress both in areas we proposed to investigate and in related areas. In this section, we summarize the progress in those areas that have resulted in publications.

1.1. Stochastic Control.

1.1.1. Stochastic Control of Markov Processes.

We have begun a research program in a major new area involving adaptive estimation and control problems for stochastic systems involving either incomplete (or noisy) observations of the state or nonlinear dynamics. The first class of problems we have studied involves finite state Markov chains with incomplete state observations and unknown parameters; in particular, we have studied certain classes of quality control, replacement, and repair problems. However, we found that work remained to be done for such problems with *known* parameters; this problem was studied in [23] and [44]. In these papers, we consider partially observable Markov decision processes with finite or countable (core) state and observation spaces and finite action set. Following a standard approach, an equivalent completely observed problem is formulated, with the same *finite action* set but with an *uncountable* state space, namely the space of probability distributions on the original core state space. It is observed that some characteristics induced in the original problem due to the finiteness or countability of the spaces involved are reflected onto the equivalent problem. Sufficient conditions are then derived for a bounded solution to the average cost optimality equation to exist. We illustrate these results in the context of machine replacement problems. By utilizing the inherent convexity of the partially observed problem, structural properties for average cost policies are obtained for a two state replacement problem; these are similar to results available for discount optimal policies. In particular, we show that the optimal policy has the "control limit" or "bang-bang" form. The set of assumptions used seems to be significantly less restrictive than others currently available. In [25], necessary conditions are given for the existence of a bounded solution of the average cost optimality equation. We consider in [46] average cost Markov decision processes on a countable state space and with unbounded costs. Under a penalizing condition on the cost for unstable behavior, we establish the existence of a stable stationary strategy which is strong average optimal.

As a prelude to studying adaptive control, the problem of characterizing the effects that uncertainties and/or small changes in the parameters of a model can have on optimal policies is considered in [26], [43]. It is shown that changes in the optimal policy are very difficult to detect, even for relatively simple models. By showing for a machine replacement problem modeled by a partially observed, finite state Markov decision process, that the infinite horizon, optimal discounted cost function is piecewise linear, we have derived formulas for the optimal cost and the optimal policy, thus providing a means for carrying out sensitivity analyses. This work is extended in [24] to several other classes of problems, including an inspection problem with standby units, an optimal stopping problem, input optimization for infinite horizon programs, and Markov decision processes with lagged information.

We have studied in [27] controlled diffusion processes on an infinite horizon with three non-standard cost criteria: weighted cost, variance sensitive cost, and overtaking optimality. Under a stability assumption we establish the existence of stationary Markov controls which are optimal for these criteria in certain classes. Also, under very general conditions we establish the existence of an e-optimal Markov policy for the weighted criterion.

1.1.2 Stochastic Adaptive Estimation and Control.

In [19], [29], and [38], the adaptive estimation of the state of a finite state Markov chain with incomplete state observations and in which the state transition probabilities depend on unknown parameters is studied. A new adaptive estimation algorithm for finite state Markov processes with incomplete observations is developed. This algorithm is then analyzed via the Ordinary Differential Equation (ODE) Method. That is, it is shown that the convergence of the parameter estimation algorithm can be analyzed by studying an "averaged" ordinary differential equation. The most crucial and difficult aspect of the proof is that of showing that, for each value of the unknown parameter, an augmented Markov process has a unique invariant measure. New techniques for the analysis of the ergodicity of time-varying Markov chains are utilized. The convergence of the recursive parameter estimates is studied, and the optimality of the adaptive state estimator is proved.

We have begun to apply similar methods to adaptive stochastic *control* problems with incomplete observations. We have first considered a quality control problem in which a system, such as a manufacturing unit or computer communications

3

network, can be in either of two states: good or bad. Control actions available to the inspector/decision-maker are:

(a) produce without inspection,

(b) produce and inspect; or

(c) repair.

Under actions (a) and (b) the system is subject to Markovian deterioration, while a repair puts the unit in the good state by the next decision time. Informative data might become available while producing without inspection, and inspection is not always perfect. Hence the problem is modeled as a partially observed Markov decision process (POMDP). Furthermore, we assume that deterioration of the system depends on an unknown parameter, namely the probability of the state going from the good to the bad state in one time epoch when no repair is done. For the case of known parameters, we have shown (see above) that there is an optimal policy for the infinite horizon average cost criterion that is of the control limit (bang-bang) type. The adaptive stochastic control problem is, however, *much* more difficult than the adaptive estimation problem, because the presence of feedback causes the system transitions to depend on the parameter estimates and introduces discontinuities.

In [45] and [47], we have analyzed algorithms for this quality control problem in which the parameter estimates are updated only after the system is repaired; such algorithms are analogous to those in which estimates in queueing systems are updated only after each busy cycle. Since the system is returned to the "good" state after repair, one obtains a perfect observation of the state at that time, and our algorithm uses the observation at the next time to estimate the parameter. Hence, we develop parameter estimation techniques based on the information available after actions that reset the state to a known value. At these times, the augmented state process "regenerates," its future evolution becoming independent of the past. Using the ODE method, we show that two algorithms, one based on maximum likelihood and another based on prediction error, converge almost surely to the true parameter value. In addition, we modify the method of Shwartz and Makowski to prove optimality of the resulting certainty equivalent adaptive policy, assuming only the existence of *some* sequence of parameter estimates converging almost surely to the true parameter value. Again, the discontinuities and partial observations in this problem preclude the direct use of previously existing methods, but we have

4

been able to generalize the method to problems such as this. Also, we have avoided the very strong standard assumption that the parameter estimates converge almost surely to the true parameter value under *any* stationary policy. In [39] and [42], we have proved some initial results toward the more difficult analysis of such adaptive control problems, but in which the parameter estimates are updated at every time; in this case, the regenerative structure used in [45], [47] is not present. Also, in [5] our recent results for parameter-adaptive Markov decision processes (MDP's) are extended to partially observable MDP's depending on unknown parameters. These results include approximations converging uniformly to the optimal reward function and asymptotically optimal adaptive policies.

Another aspect of our research on adaptive control has involved systems with unknown disturbance distribution. In [6], we consider adaptive control of stochastic systems in which the disturbance or driving process is a sequence of independent identically distributed random variables with unknown distribution and a discounted reward criterion is used. Three different adaptive policies are shown to be asymptotically optimal, and for each of them we obtain uniform approx·nations of the optimal reward function. We have also obtained preliminary results on the extension of these results to the situation in which only incomplete or noisy observations of the state are available. In addition, we have in [17] extended the nonparametric results of [6] to problems with incomplete state observations. Our approach combines convergence results for empirical processes and recent results on parameter-adaptive stochastic control problems. The important issue of implementation has been addressed in [18], which presents finite-state discretization procedures for discrete-time, infinite horizon, adaptive Markov control processes which depend on unknown parameters. The discretizations are combined with a consistent parameter estimation scheme to obtain uniform approximations to the optimal value function and asymptotically optimal adaptive control policies.

We have investigated the adaptive control of stochastic bilinear systems in [2] and [34]. The minimum variance control law for bilinear systems with known parameters is shown to yield in most cases controls with infinite variance; this calls into question the use of the so-called bilinear self-tuning regulators. An adaptive weighted minimum variance controller based upon the cost with weighted control effort is suggested for first order bilinear systems and is shown to yield bounded-

ness of the closed loop system variables under a certain condition on the parameter estimate.

1.2. Nonlinear Systems.

In order to deepen our insight into nonlinear systems, we have also investigated and solved a number of problems in the linearization of discrete-time and discretized nonlinear systems. In [1] and [30], necessary and sufficient conditions for approximate linearizability are given. We also give a sufficient condition for local linearizability. Finally, we present analogous results for multi-input nonlinear discrete-time systems. In [3], necessary and sufficient conditions for local input-output linearizability are given. We show that these conditions are also sufficient for a formal solution to the global input-output linearization problem. Finally, we show that zeros at infinity of the system can be obtained by a particular structure algorithm for locally input-output linearizable systems. Whereas the objective of input-output linearizability is to make the input-dependent part of the output sequence linear in the new input, that of immersion by nonsingular feedback into a linear system (solved in [8], [35]) is to make the output sequence *jointly* linear in the new input and some analytic function of the initial state. Necessary and sufficient conditions for such immersion are given.

In [4], [31], we characterize the equivalence of single-input single-output discrete-time nonlinear systems to linear ones, via a state-coordinate change and with or without feedback. Four cases are distinguished by allowing or disallowing feedback as well as by including the output map or not; the interdependence of these problems is analyzed. An important feature that distinguishes these discrete-time problems from the corresponding problem in continuous-time is that the state-coordinate transformation is here directly computable as a higher composition of the system and output maps. Finally, certain connections are made with the continuous-time case. We build on these results in [16], [36], [40], [41] in which we investigate the effect of sampling on linear equivalence for continuous time systems. It is shown that the discretized system is linearizable by state coordinate change for an open set of sampling times if and only if the continuous time system is linearizable by state coordinate change. Also, for $n = 2$, we show that even though the discretized system is linearizable by state coordinate change and feedback, the continuous time affine complete analytic system is linearizable by state coordinate change only. Also,

we suggest a method of proof when $n \geq 3$.

The papers [7], [32] investigate the global controllability of piecewise-linear (hypersurface) systems, which are defined as control systems that are subject to affine dynamics on each of the components of a finite polyhedral partition. Various new tools are developed for the study of the problem, including a classification of the facets of the polyhedra in the partition. Necessary and sufficient conditions for complete controllability are obtained via the study of a suitably defined controllability connection matrix of polyhedra. In [9] and [37], we investigate the problem of smooth feedback stabilization of nonlinear systems with stable uncontrolled dynamics. We present sufficient conditions for the existence of a smooth feedback stabilizing control that are also necessary in the case of linear systems. Analogous results are established for discrete time systems.

1.3. Deterministic Nonlinear Adaptive Control.

Almost all of the work in the field of deterministic adaptive control is restricted to the study of linear plants. In trying to extend adaptive schemes to nonlinear systems, one is faced with considerable obstacles. The most important of these is the lack of a systematic methodology for nonlinear feedback design. In recent years, considerable effort has been invested in the study of canonical forms for nonlinear systems and in particular the characterization of the class of those systems which are linearizable under the action of the nonlinear feedback group. Equivalence to linear dynamics is a particularly desirable property from the point of view of control synthesis.

A possible design methodology, applicable to linearizable systems, is to build a controller for the nonlinear system by designing one for the equivalent linear system and utilizing the transformation (from linear to nonlinear) along with its inverse. This approach has already been applied to the design of automatic flight-control systems for aircraft of significant complexity. The chief drawback of this method is that it relies on all the states being measured and on an exact cancellation of nonlinear terms in order to get linear behavior. Consequently, in the case where the plant contains unknown or uncertain parameters, adaptation is desirable in order to robustify, i.e., make asymptotically exact, the cancellation of nonlinear terms. A major difficulty here is that the linearizing transformation, being a function of the system parameters, is itself unknown, and hence, the above design approach does not

allow for a straightforward incorporation of an adaptive controller. The extension of parameter adaptive algorithms developed for linear systems to "linearizable" ones becomes, therefore, an important problem.

In a study [12], [33], that seems to be among the first of its kind, we restricted our attention to "pure feedback" systems, a special class of nonlinear systems which arise as a canonical form of linearizable dynamics. We presented an adaptive algorithm and the design of a model reference adaptive controller for this class of problems. An interesting feature of our adaptive scheme is that it updates estimates of the feedback and coordinate transformation required to linearize the system. Under some mild technical conditions, we established global convergence of the output error for all initial estimates of the parameter vector lying in an open neighborhood of the true parameters in the parameter space. Also, in simulation studies, the performance of the algorithm was excellent. At first sight, this model might seem as a fairly restricted class of nonlinear plants. One should keep in mind, though, that not only does this model cover a wide range of interesting real life applications, but, in addition, the pure-feedback form may be viewed as a canonical form of feedback linearizable nonlinear systems.

1.4. Other Related Research.

We have also made progress in a number of other related areas of research. In the are of robotics, the problem of selecting joint space trajectories for redundant manipulators is considered in [13]. Solutions which allow secondary tasks to be performed by the arm simultaneously with end-effector motions may be selected in a number of ways. An algorithm to accomplish this by means of conditions on a scalar function of the joint variables is introduced and analyzed in [13]. In [14], the problem of the distribution of dynamic loads for multiple cooperating manipulators, is considered. Methods of load distribution, which allow desired object motion while selecting loads desirable for alleviating manipulator dynamic loads, are developed. The motion and internal loads induced on an object manipulated by two or more robotic mechanisms are considered in [28]. In particular, for a desired motion trajectory of the object, the question of load distribution among the arms is analyzed, with particular attention given to the internal loading of the object. A new representation of the load distribution problem is given by the introduction of a particular "non-squeezing" pseudoinverse, which is shown to possess properties

which expose the underlying structure of the problem. It is expected that by using this pseudoinverse, new insight will be gained, and necessary analysis simplified, in a number of aspects of multiple manipulator research. A number of these aspects are detailed and illustrated using a two armed example.

In the area of discrete event dynamic systems, we have designed algorithms for supervisor synthesis problems with partial observations [15]. These algorithms provide a good suboptimal solution to the problem; in addition, they involve new classes of automata which are of interest in their own right. However, these solutions are often too restrictive, and in [20] we have studied a more general class of solutions. These give rise to another interesting class of supervisors, but they are computationally much more difficult. In [21], we discuss the computation of supremal controllable and normal sublanguages. We derive formulas for both supremal controllable sublanguages and supremal normal sublanguages when the languages involved are closed. As a result, those languages can be computed without applying recursive algorithms.

Periodic orbits of the matrix Riccati equation are studied in [10]; it is shown that periodic solutions are bounded if and only if the span of their range does not intersect the orthogonal complement of the controllable subspace of the associated linear system. In [11], a discrete-time, linear, time-invariant control system with a fixed time delay in the feedback loop is considered; simple necessary and sufficient conditions for feedback stabilization are developed. Based on a minimax criterion, we define in [22] the concept of equalizability for a nonlinear, discrete-time communication channel. Sufficient conditions for a channel to be equalizable, via a finite memory equalizer, are also derived.

2. PUBLICATIONS

Journal Publications

[1] H.G. Lee and S.I. Marcus, *Approximate and local linearizability of nonlinear discrete time systems*, International Journal of Control **44** (1986), 1103–1124.

[2] H. Cho and S.I. Marcus, *On adaptive control of stochastic bilinear systems*, IEEE Transactions on Automatic Control **AC-32** (1987), 1103–1106.

[3] H.G. Lee and S.I. Marcus, *On input-output linearization of discrete time nonlinear systems*, Systems & Control Letters **8** (1987), 249–259.

[4] H.G. Lee, A. Arapostathis and S.I. Marcus, *On the linearization of discrete time systems*, International Journal of Control **45** (1987), 1803–1822.

[5] O. Hernández-Lerma and S.I. Marcus, *Adaptive control of Markov processes with incomplete state information and unknown parameters*, Journal of Optimization Theory and Applications **52** (1987), 227–241.

[6] O. Hernández-Lerma and S.I. Marcus, *Adaptive policies for discrete-time stochastic systems with unknown disturbance distribution*, Systems & Control Letters **9** (1987), 307–315.

[7] K.K. Lee and A. Arapostathis, *On the controllability of piecewise-linear hypersurface systems*, Systems & Control Letters **9** (1987), 89–96.

[8] H.G. Lee and S.I. Marcus, *Immersion and immersion by nonsingular feedback of a discrete time nonlinear system into a linear system*, IEEE Transactions on Automatic Control **AC-33** (1988), 479–483.

[9] K.K. Lee and A. Arapostathis, *Remarks on smooth feedback stabilization of nonlinear systems*, Systems & Control Letters **10** (1988), 41–44.

[10] E. Sernik and A Arapostathis, *Some remarks on the periodic orbits of the matrix Riccati equation*, International Journal of Control **48** (1988), 949–959.

[11] J. Yong and A. Arapostathis, *On the stabilization of discrete-time linear systems with a time delay in the feedback loop*, International Journal of Control **48** (1988), 1475–1485.

[12] K. Nam and A. Arapostathis, *A model reference adaptive control scheme for pure-feedback nonlinear systems*, IEEE Transactions on Automatic Control **33** (1988), 803–811.

[13] I.D. Walker and S.I. Marcus, *Subtask performance by redundancy resolution for redundant robot manipulators*, IEEE Transactions on Robotics and Automation **4** (1988), 350–354.

[14] I.D. Walker, R.A. Freeman and S.I. Marcus, *Distribution of dynamic loads for multiple cooperating robot manipulators*, Journal of Robotic Systems **6** (1989), 35–47.

[15] H. Cho and S.I. Marcus, *On supremal languages of classes of sublanguages that arise in supervisor synthesis problems with partial observation*, Mathematics of Control, Signals, and Systems **2** (1989), 47–69.

[16] A. Arapostathis, B. Jacubczyk, H.G. Lee, S.I. Marcus, and E.D. Sontag, *The*

effect of sampling on linear equivalence and feedback linearization, Systems & Control Letters **13** (1989), 373–381.

[17] O. Hernández-Lerma and S.I. Marcus, *Nonparametric adaptive control of discrete time partially observable stochastic systems*, Journal of Mathematical Analysis and Applications **137** (1989), 312–334.

[18] O. Hernández-Lerma and S.I. Marcus, *Discretization procedures for adaptive Markov control processes*, Journal of Mathematical Analysis and Applications **137** (1989), 485–514.

[19] A. Arapostathis and S.I. Marcus, *Analysis of an identification algorithm arising in the adaptive estimation of Markov chains*, Mathematics of Control, Signals, and Systems **3** (1990), 1–29.

[20] H. Cho and S.I. Marcus, *Supremal and maximal sublanguages arising in supervisor synthesis problems with partial observations*, Mathematical Systems Theory **22** (1990), 177–211.

[21] R.D. Brandt, V. Garg, R. Kumar, F. Lin, S.I. Marcus and W.M. Wonham, *Formulas for calculating supremal controllable and normal sublanguages*, Systems & Control Letters **15** (1990), 111–117.

[22] K. Hardwicke and A. Arapostathis, *A minimax approach to the nonlinear equalizability problem*, IEEE Transactions on Circuits and Systems **CAS-37** (1990), 946–948.

[23] E. Fernández-Gaucherand, A. Arapostathis, and S.I. Marcus, *On the average cost optimality equation and the structure of optimal policies for partially observable Markov processes*, Annals of Operations Research (to appear).

[24] E. Sernik and S.I. Marcus, *On the computation of the optimal cost function for discrete time Markov models with partial observations*, Annals of Operations Research (to appear).

[25] E. Fernández-Gaucherand, A. Arapostathis and S.I. Marcus, *Remarks on the existence of solutions to the average cost optimality equation in Markov decision processes*, Systems & Control Letters (to appear).

[26] E. Sernik and S.I. Marcus, *On the optimal cost and policy for a Markovian replacement problem*, Journal of Optimization Theory and Applications (to appear).

[27] M.K. Ghosh and S.I. Marcus, *Infinite horizon controlled diffusion problems with*

some nonstandard criteria, Journal of Mathematical Systems, Estimation, and Control (to appear).

[28] I.D. Walker, R.A. Freeman and S.I. Marcus, *Analysis of motion and internal loading of objects grasped by multiple cooperating manipulators*, Int. J. Robotics Research (to appear).

Other Publications

[29] A. Arapostathis and S.I. Marcus, *Analysis of an identification algorithm arising in the adaptive estimation of Markov chains*, Proc. 24th IEEE Conference on Decision and Control, Ft. Lauderdale, FL, December 10-13, 1985.

[30] H.G. Lee and S.I. Marcus, *On the linearization of nonlinear discrete-time systems*, Proc. 1986 American Control Conference, Seattle, WA, June 11-13, 1986.

[31] H.G. Lee, A. Arapostathis and S.I. Marcus, *Linearization of nonlinear discrete-time control systems*, Proc. 1987 American Control Conference, Minneapolis, MN, June 10-12, 1987.

[32] K.K. Lee and A. Arapostathis, *On the controllability of piecewise-linear hypersurface systems*, Proc. 1987 American Control Conference, Minneapolis, MN, June 10-12, 1987.

[33] K. Nam and A. Arapostathis, *A model reference adaptive control scheme for pure-feedback nonlinear systems*, Proc. 1987 American Control Conference, Minneapolis, MN, June 10-12, 1987.

[34] H. Cho and S.I. Marcus, *Adaptive control of stochastic bilinear systems*, Proc. 26th IEEE Conference on Decision and Control, Los Angeles, CA, December 9-11, 1987.

[35] H.G. Lee and S.I. Marcus, *On the immersion of a discrete time nonlinear system into a linear system*, Proc. 26th IEEE Conference on Decision and Control, Los Angeles, CA, December 9-11, 1987.

[36] H.G. Lee, A. Arapostathis and S.I. Marcus, *Remarks on discretization and linear equivalence of continuous time nonlinear systems*, Proc. 26th IEEE Conference on Decision and Control, Los Angeles, CA, December 9-11, 1987.

[37] K.K. Lee and A. Arapostathis, *Affine-feedback stabilization of piecewise-linear hypersurface systems*, Proc. 26th IEEE Conference on Decision and Control, Los Angeles, CA, December 9-11, 1987.

[38] A. Arapostathis and S.I. Marcus, *Adaptive estimation of Markov chains with incomplete information*, analysis and control of linear systems (C.I. Byrnes, et al, ed.), North-Holland, Amsterdam 1988, pp. 3–12.

[39] E. Fernández-Gaucherand, A. Arapostathis and S.I. Marcus, *On the adaptive control of a partially observable Markov decision process*, Proc. 27th IEEE Conference on Decision and Control, Austin, TX, December 7-9, 1988.

[40] H.G. Lee, A. Arapostathis and S.I. Marcus, *On the digital control of nonlinear systems*, Proc. 27th IEEE Conference on Decision and Control, Austin, TX, December 7-9, 1988.

[41] H.G. Lee, A. Arapostathis and S.I. Marcus, *Linearization of discrete and discretized nonlinear systems*, New Trends in Nonlinear Control Theory (J. Descusse, et al, ed.), Lecture Notes in Control and Information Sciences, vol. 122, Springer-Verlag, New York, 1989, pp. 91–101.

[42] E. Fernández-Gaucherand, A. Arapostathis and S.I. Marcus, *On the adaptive control of a partially observable binary Markov decision process*, Advances in Computing and Control (W.A. Porter, et al, ed.), Lecture Notes in Control and Information Sciences, vol. 130, Springer-Verlag, New York, 1989, pp. 217–228.

[43] E. Sernik and S.I. Marcus, *Comments on the Sensitivity of the optimal cost and policy for a discrete Markov decision process*, Proc. 27th Annual Allerton Conference on Communication, Control, and Computing, September 27-29, 1989.

[44] E. Fernández-Gaucherand, A. Arapostathis, and S.I. Marcus, *On partially observable Markov decision processes with an average cost criterion*, Proc. 28th IEEE Conference on Decision and Control, Tampa, FL, December 13-15, 1989.

[45] S.I. Marcus, E. Fernández-Gaucherand and A. Arapostathis, *Analysis of an adaptive control scheme for a partially observed Markov decision process*, Proc. 24th Annual Conference on Information Sciences and Systems, Princeton, NJ, March 21-23, 1990.

[46] M.K. Ghosh and S.I. Marcus, *Ergodic control of Markov chains*, Proc. 29th IEEE Conference on Decision and Control, Honolulu, HI, December 5-7, 1990.

[47] S.I. Marcus, E. Fernández-Gaucherand and A. Arapostathis, *Analysis of an adaptive control scheme for a partially observed Markov decision process*, Proc. 29th IEEE Conference on Decision and Control, Honolulu, HI, December 5-7, 1990.

13

3. RESEARCH PERSONNEL ASSOCIATED WITH THE RESEARCH EFFORT

Principal Investigators.

    (1) Steven I. Marcus

    (2) Aristotle Arapostathis

Research Assistants.

    (1) Bhargav R. Bellur

    (2) Hangju Cho

    (3) Younseok Choo

    (4) Emmanuel Fernández-Gaucherand

    (5) Ratnesh Kumar

    (6) Hong-Gi Lee

    (7) Kyle Munsey

    (8) Kwanghee Nam

    (9) Enrique Sernik

  (10) Ian D. Walker

Other Professional Personnel.

    (1) Vijay Garg, Associate Investigator

    (2) Mrinal K. Ghosh, Postdoctoral Fellow

    (3) Madanpal Verma, Associate Investigator

4. PAPERS PRESENTED

[i] A. Arapostathis and S.I. Marcus, *Analysis of an Identification Algorithm Arising in the Adaptive Estimation of Markov Chains*, 24th IEEE Conference on Decision and Control, December 10-13, 1985, Ft. Lauderdale, FL.

[ii] I. Walker and S.I. Marcus, *An Approach to the Control of Kinematically Redundant Robot Manipulators*, 1986 American Control Conference, June 11-13, 1986, Seattle, WA.

[iii] H.G. Lee and S.I. Marcus, *On the Linearization of Nonlinear Discrete-Time Systems*, 1986 American Control Conference, June 11-13, 1986, Seattle, WA.

[iv] H.G. Lee, A. Arapostathis and S.I. Marcus, *Linearization of Nonlinear Discrete-Time Control Systems*, 1987 American Control Conference, June 10-12, 1987, Minneapolis, MN.

[v] K. Nam and A. Arapostathis, *A model reference adaptive control scheme for pure-feedback nonlinear systems*, 1987 American Control Conference, June 10-12, 1987, Minneapolis, MN.

[vi] A. Arapostathis and S.I. Marcus, *Adaptive Estimation of Partially Observed Finite State Markov Processes*, 1987 International Symposium on Mathematics of Networks and Systems, June 15-19, 1987, Phoenix, AZ.

[vii] H. Cho and S.I. Marcus, *Adaptive Control of Stochastic Bilinear Systems*, 26th IEEE Conference on Decision and Control, December 9-11, 1987, Los Angeles, CA.

[viii] H.G. Lee and S.I. Marcus, *On the Immersion of a Discrete Time Nonlinear System Into a Linear System*, 26th IEEE Conference on Decision and Control, December 9-11, 1987, Los Angeles, CA.

[ix] H.G. Lee, A. Arapostathis and S.I. Marcus, *Remarks on Discretization and Linear Equivalence of Continuous Time Nonlinear Systems*, 26th IEEE Conference on Decision and Control, December 9-11, 1987, Los Angeles, CA.

[x] K.K. Lee and A. Arapostathis, *Affine-Feedback Stabilization of Piecewise-Linear Hypersurface Systems*, 26th IEEE Conference on Decision and Control, Los Angeles, CA, December 9-11, 1987.

[xi] H. Cho and S.I. Marcus, *On Maximal Sublanguages Arising in Supervisor Synthesis Problems with Partial Observation*, 22nd Conference on Information Sciences and Systems, March 16-18, 1988, Princeton, NJ.

15

[xii] I.D. Walker, R.A. Freeman and S.I. Marcus, *Dynamic Task Distribution for Multiple Cooperating Robot Manipulators*, 1988 IEEE Conference on Robotics and Automation, April 24-29, 1988, Philadelphia, PA.

[xiii] H.G. Lee, A. Arapostathis and S.I. Marcus, *Linearization of Discrete and Discretized Nonlinear Systems*, International Colloquium on Nonlinear Control, June 13-17, 1988, Nantes, France.

[xiv] E. Fernández-Gaucherand, A. Arapostathis and S.I. Marcus, *On the Adaptive Control of a Partially Observable Binary Markov Decision Process*, 1988 International Conference on Advances in Communication and Control Systems, October 19-21, 1988, Baton Rouge, LA.

[xv] H.G. Lee, A. Arapostathis and S.I. Marcus, *Digital Control of Linearizable Systems*, 1988 International Conference on Advances in Communication and Control Systems, October 19-21, 1988, Baton Rouge, LA.

[xvi] E. Fernández-Gaucherand, A. Arapostathis and S.I. Marcus, *On the Adaptive Control of a Partially Observable Markov Decision Process*, 27th IEEE Conference on Decision and Control, December 7-9, 1988, Austin, TX.

[xvii] H.G. Lee, A. Arapostathis and S.I. Marcus, *On the Digital Control of Nonlinear Systems*, 27th IEEE Conference on Decision and Control, December 7-9, 1988, Austin, TX.

[xviii] I.D. Walker, R.A. Freeman and S.I. Marcus, *Multiple Cooperating Manipulators: The Case of Redundant Arms*, NASA Conference on Space Telerobotics, January 31-February 2, 1989, Los Angeles, CA.

[xix] I.D. Walker, R.A. Freeman and S.I. Marcus, *Internal Object Loading for Multiple Cooperating Robot Manipulators*, 1989 IEEE Conference on Robotics and Automation, May 15-18, 1989, Scottsdale, AZ.

[xx] S. I. Marcus, *Modeling and Control of Discrete Event Dynamic Systems*, (Invited Plenary Lecture), SIAM Conference on Control in the 90's, May 17-19, 1989, San Francisco, CA.

[xxi] E. Fernández-Gaucherand, A. Arapostathis and S.I. Marcus, *On the Geometric Ergodicity of Some Partially Observed Replacement Processes*, CORS/ TIMS/ORSA Joint National Meeting, May 8-10, 1989, Vancouver, Canada.

[xxii] E. Sernik and S.I. Marcus, *Comments on the Sensitivity of the Optimal Cost and Policy for a Discrete Markov Decision Process*, 27th Annual Allerton Conference on Communication, Control, and Computing, September 27-29,

1989, Urbana, IL.

[xxiii] R. Kumar, V. Garg, and S.I. Marcus, *Supervisory Control of Discrete Event Systems: Supremal Controllable and Recognizable Languages*, 27th Annual Allerton Conference on Communication, Control, and Computing, September 27-29, 1989, Urbana, IL.

[xxiv] E. Fernández-Gaucherand, A. Arapostathis, and S.I. Marcus, *On Partially Observable Markov Decision Processes with an Average Cost Criterion*, 28th IEEE Conference on Decision and Control, December 13-15, 1989, Tampa, FL.

[xxv] S.I. Marcus, E. Fernández-Gaucherand and A. Arapostathis, *Analysis of an Adaptive Control Scheme for a Partially Observed Markov Decision Process*, 24th Conference on Information Sciences and Systems, March 1990, Princeton, NJ.

[xxvi] S.I. Marcus, E. Fernández-Gaucherand and A. Arapostathis, *Analysis of an Adaptive Control Scheme for a Partially Observed Markov Decision Process*, 29th IEEE Conference on Decision and Control, December 5-7, 1990, Honolulu, HI.

[xxvii] M.K. Ghosh and S.I. Marcus, *Ergodic Control of Markov Chains*, 29th IEEE Conference on Decision and Control, December 5-7, 1990, Honolulu, HI.